

**IROAN STATEMENT OF WORK FOR THE
MICROWAVE PULSE COUNTER TEST SET
NSN 5895-01-281-0072 ID# 09152A**

1.0 SCOPE. This Statement of Work (SOW) establishes and sets forth tasks, and identifies the work effort that shall be performed by the Contractor (for the purposes of this SOW, Contractor is defined as the commercial or government entity performing the IROAN) in the IROAN effort of the Microwave Pulse Counter Test Set, NSN 5895-01-281-0072. This document contains requirements to restore the item to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining.

1.1 Background. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly."

2.0 APPLICABLE DOCUMENTS. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

| | |
|-----------------|--|
| MIL-STD-129 | DoD Standard Practice for Military Marking |
| MIL-STD-2073-1D | DoD Standard Practice for Military Packaging |

2.2 Other Government Documents and Publications

| | |
|------------------------|--|
| 5580023-01, CAGE 34257 | Manufacturer Manual; Microwave Pulse Counter Test Set Manual |
|------------------------|--|

Military Handbooks (For Guidance)

| | |
|-------------|-----------------------------------|
| MIL-HDBK-61 | Configuration Management Guidance |
|-------------|-----------------------------------|

2.3 Industry Standards

| | |
|--------------------------|--|
| ANSI/ISO/ASQC Q9003-1994 | Quality Systems-Model for Quality Assurance in Final Inspection and Test |
|--------------------------|--|

JESD625-A

Requirements for Handling Electrostatic-Discharge Sensitive (ESDS) Devices

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697- 2179 or DSN 442-2179, or <http://www.dodssp.daps.mil>." Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the contracting officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd. STE 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 REQUIREMENTS

3.1 The Contractor shall repair, test and calibrate the Microwave Pulse Counter Test Set in accordance with Manufacturer Manual; Microwave Pulse Counter Test Set Manual 5580023-01, CAGE 34257.

3.2 Comply with the current Electrostatic Discharge Sensitive Work Standard JESD625-A.

3.3 Quality acceptance and test procedures shall be in accordance with Manufacture Manual 5580023-01, CAGE 34257.

3.4 Packaging, Handling Storage and Transportation (PHS&T).

a. The Contractor shall be responsible for preservation and packaging of item(s) to be delivered under the terms of this statement of work. Items scheduled for long-term storage or overseas shipment shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be to level "B" requirements.

b. Marking for shipment and storage shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the Contractor with the shipping address (es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the

pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3.5 Quality Assurance Provisions. The contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System-Model for Quality Assurance in Final Inspection and Test.

3.6 Configuration Control. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.

(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0186), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

| | | |
|---------------------------|------------|---|
| A. CONTRACT LINE ITEM NO. | B. EXHIBIT | C. CATEGORY: TOP _____ TM _____ OTHER _____ X |
|---------------------------|------------|---|

| | | |
|----------------------------------|---------------------------|----------------------|
| D. SYSTEM/ITEM | E. CONTRACT/PR NO. | F. CONTRACTOR |
| Microwave Pulse Counter Test Set | | |

| 1. DATA ITEM NO. | 2. TITLE OF DATA ITEM | 3. SUBTITLE |
|------------------|-----------------------|--------------------------|
| A001 | Request For Deviation | Configuration Management |

| | | |
|--|----------------------------------|------------------------------------|
| 4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80640C | 5. CONTRACT REFERENCE SOW 3.6 | 6. REQUIRING OFFICE MCLBA (583) |
|--|----------------------------------|------------------------------------|

| | | | | | | |
|---------------------|--|------------------------|--|------------------|-------|---------------------------------|
| 7. DD 250 REQ LT | 9. DIST STATEMENT REQUIRED A | 10. FREQUENCY ASREQ | 12. DATE OF FIRST SUBMISSION See Blk 16 | 14. DISTRIBUTION | | |
| 8. APP CODE A | | 11. AS OF DATE | 13. DATE OF SUBSEQUENT SUBMISSION | a. ADDRESSEE | Draft | b. COPIES Final Reg Repro |

[illegible]

| | | | |
|--|-----------------------------|--|-----------------------------|
| G. PREPARED BY <i>Naim L. Brydler</i> | H. DATE <i>8 Nov. 01</i> | I. APPROVED BY <i>Robert C. Wally</i> | J. DATE <i>8 Nov. 01</i> |
|--|-----------------------------|--|-----------------------------|